MO6.1/62



MONTHLY WEATHER REPORT

VOLUME 9

NUMBER 11

NOVEMBER, 1966

991 E3 146 V.9, no, 11

U.D.C. 551. 506.1 (62)

THE EGYPTIAN METEOROLOGICAL AUTHORITY
CAIRO

National Oceanic and Atmospheric Administration Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages
Faded or light ink
Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

PUBLICATIONS OF THE METEOROLOGICAL AUTHORITY OF THE ARAB REPUBLIC OF EGYPT—CAIRO

In fulfilment of its duties, the Egyptian Meteorological Authority issues serveral reports and publications on weather, climate and agro-meteorology. The principal publications are described on this page.

Orders for publications should be addressed to :

"Chairman of the Board of Directors, Meteorological Authority, Kubri-el-Qubbeh - CAIRO".

THE DAILY WEATHER REPORT

This report is issued daily by the Meteorological Authority since the year 1901. It includes surface and upper air observations carried out by the relevant networks of the Republic at the principal hours of observations.

As from January 1968 this report was revised to include a condensed representative selection of surface and upper air observations besides the 1200 U.T. surface & 500 mb charts.

As from 1st January 1972, the Daily Weather Report will not be issued or distributed because it does not serve no longer any good purpose as it used to be in the past. The Meteorological Authority is ready to supply the recipients of the Report with any information used to be included in it, if they so desire.

THE MONTHLY WEATHER REPORT

First issued in 1909, the Monthly Weather Report served to give a brief summary of the weather conditions that prevailed over Egypt during the month, with a table showing the mean values for few meteorological elements and their deviations from the normal values. From 1954 to 1957 this report was in a rapid state of development and extension resulting into a voluminous report on January 1958 giving surface, upper air, and agro-meteorological data for Egypt.

As from January 1964, the Monthly Weather Report was pressed to give climatological data for a representative selection of synoptic stations.

THE AGRO-METEOROLOGICAL ABRIDGED MONTHLY REPORT

Gives a review of weather experienced in the agro-meteorological stations of Egypt as well as monthly values of certain elements.

THE ANNUAL REPORT

This report gives annual values and statistics for the various meteorological elements, together with a summary of the weather conditions that prevailed during all months of the year.

CLIMATOLOGICAL NORMALS FOR EGYPT

A voluminous edition was issued in March 1968 which brings normals and mean values up till 1960.

METEOROLOGICAL RESEARCH BULLETIN

First issued in January 1969 on a bi-annual basis. It includes research works carried out by members of staff of "The Meteorological Institute for Research and Training" and the Operational Divisions of the Meteorological Authority.

TECHNICAL NOTES

As from October 1970, the Meteorological Authority started to issue a new series of publications in the form of Technical Notes (non periodical) on subjects related to studies and applications of meteorology in different fields for the benefit of personnel working in these fields



MONTHLY WEATHER REPORT

VOLUME 9

NUMBER 11

NOVEMBER, 1966

W.D.C. 551, 506.1 (68)

THE EGYPTIAN METEOROLOGICAL AUTHORITY
CAIRO

CONTENTS

	,	PAGES
	Genral Summary of Weather Conditions	1-3
	SURFACE DATA	
Table	A1.—Monthly values of the Atmospheric Pressure, Air Temperature, Relative Humidity, Bright Sunshine Duration and Piche Evaporation	4
**	A2.—Maximum and Minimum Air Temperatures	5
,,	A3.—Sky Cover and Rainfall	6
,	A4.—Number of Days of Occurrence of Miscellaneous Weather Phenomena	7
"	A5,—Number in Hours of Occurrences of Concurrent Surface Wind Speed and Direction Recorded Within Specified Ranges	8,9
	UPPER AIR DATA	
Table	B1.—Monthly Means and Monthly Absolute Higher & Lower Values of Altitude, air Temperature & Dew point at Standard and Selected Pressure Surfaces	10 -11
"	B2.—Mean and Extreme values of The Freezing Level and The Tropopause; The Highest Wind Speed in The Upper Air	12
**	B3.—Number of Occurreneces of Wind Direction Within Specified Ranges and The Mean Scalar Wind Speed at the Standard and Selected Pressure Surfaces	13
	AGRO-METEOROLOGICAL DATA	
	Reviews of Agro-meteorological stations	14,15
Table	C1.—Air Temperature at 2 Metres Above Ground	16
**	C2.—Absolute Values, of Air Temperature at 2 Metres Above Ground, Absolute Minim um Air Temperature at 5 Cms Above Ground Over Different Fields	16
1)	C3.—(Solar + Sky) Radiation, Duration of Bright Sunshine, Relative Humidity and Vapour Pressure at 2 Metres Above Ground, Evaporation and Rainfall	16
,	C4.—Extreme Soil Temperature at Different Depths in Different Fields	17
,	C5.—Surface wind	17

Note For explanatory notes on tables please refer to Volume 9, Number 1 (January 1966).

GENERAL SUMMARY OF WEATHER CONDITIONS

NOVEMBER 1966

Generally hot during the first week: rather cold most of the socond week in the northern parts where heavy rain associated with thunderestorms and hail fell between 8th and 10th. Generally mild weather otherwise with frequent early morning mist and fog over Delta, Canal and Caira areas.

GENERAL DESCRIPTION OF WEATHER

This month started with a prevailing heat wave of moderate intensity which was more pronounced in the interior parts of the Republic during the first week. The break down of this heat wave was followed by rather cold and rainy weather most of the second week in the Mediterranean, Lower Egypt & Cairo districts. Rain was heavy and associated with thundery activity and hail over scautered parts on the 8th, 9th & 11th. On the 8th in particular the daily rain attained records at Dekheila (64 mms), Balteam (50 mms), Shebin El Kom (15 mms), Mostafa Helmi (22 mms) & Almaza (16 mms).

During the second half of the month, weather was mild in the northern & central parts; and hot in the southern parts with light rain associated with thunderstorms over few localities on the 23rd 24th. Early morning fog & mist developed in large frequencies over Delta, Canal & Cairo areas.

PRESSURE DISTRIBUTION

The most important features of pressure distribution on the surface maps during this month were:

— The Siberian anticyclone.

- Deep northern low pressure systems coming from the Atlantic and passing through North Urasia.
- Travelling secondary depressions which developed either over West Mediterranean or adjacent vicinities.

The first secondary depression this month was observed over Greece on the 1st; it moved rapidly NE wards and reached north of the Caspian Sea on the 3rd.

The second secondary depression developed over West Mediterranean on the 3rd, proceeded slowly eastwards while deepening appreciably on the 4th. It reached Central Mediterranean and filled up rapidly on the 5th, when a shallow secondary depression developed over north of Egypt This desert depression proceeded NE wards attained Cyprus area on the 7th where it deepened and remained till the 10th. During this period the Siberian anticyclone extended SW wards and operated over the Balkans & Central Mediteranean.

The third secondary depression appeared west of Italy on the 11th and moved eastwards. On the 13th it reached Greece while a new secondary depression developed over East Mediterranean. These two secondaries proceeded NE wards afterwards while filling.

The fourth secondary depression was formed also west of Italy on the 15th. It moved slowly eastwards and on the 17th & 18th when it deepened and enlarged its area covering Italy, Balkans & Central Mediterranean. Afterwards, it filled rapidly while remained stationary.

The fifth and sixth secondary depressions developed over Italy on the 23rd & 28th respectively. They moved Eastwards and their southeren troughs traversed East Mediterranean on the 26th & 29th respectively.

East Mediterranean in general and Egypt in particular were subsequently affected by the approach & transits of the above mentioned six secondary depressions and the extension of high pressure from SW Russia to Asia Minor and East Mediterranean. As a result, the barometric pressure over Egypt experienced six oscillations with their minima round the 5th, 9th, 13th, 18th, 26th & 29th respectively. It was generally below normal most of the first half of the month; and above normal most of the second half.

The outstanding features of pressure distribution over the 700 & 500 m.b. charts were :

- Deep upper low pressure systems over North Urasia and North Atlantic.
- Transitory secondary upper troughs or lows through middle latitudes.
- A quasi- stationary secondary upper low over East Mediterranean from the 7th till the 12th.
 - High pressure south of latitude 30°N.

SURFACE WIND

During this month the prevailing winds blew between NE & NW ly directions with the exception of few days in the second week when S/SW winds prevailed in the northern & central parts. Winds were generally light to moderate and became fresh to strong during several days over scattered localities mainly in the Red Sea and west of the Mediterranean districts. Calms were frequent most of night & early morning intervals over scattered localities.

Gales were reported at: Mersa Matruh on the 9th and at Port Said and Fayed on the 8th.

TEMPERATURE

Rather cold and rainy weather was experienced during the second week when maximum temperature fell slightly below its normal and its values ranged between 22°C & 27°C in the northern & central parts and between 27°C & 32°C in the southern parts. During rest of the month maximum temperature remained above its normal (3°C-6°C) and its values ranged between 24°C & 30°C in the northern parts, between 25°C & 34°C in the central parts and between 30°C &36°C in the southern parts.

The absolute maximum temperature for the Republic was 37.6°C reported at Minya & Asyout on the 2nd.

Minimum temperature remained above its normal during the month (2°C-5°C) with the exception of few scattered days on which it was slightly below normal. Its values ranged in general between 10°C & 18°C in the cen-

tral parts and between 14°C & 22°C in the northern & southern parts.

The absolute minimum temperature for the Republic was 5.6°C reported at Farafra on the 18th.

PRECIPITATION

This monh was characterized by an outstaning rainy period most of the second week during which rain was heavy, widespread and confined to the northern parts of the Republic. Rain was associated with thunderstorms and in particular with hail over scattered localities in Lower Egypt & Cairo area districts on the 8th when the daily rain attained record values at Dekheila (64 mms), Balteam (50 mms), Shebin El Kom (15 mms), Mostafa Helmi (22mms) and Almaza (16 mms). In addition light thundery rain fell over Aswan on the 23rd and over Quseir on the 24th.

The absolute daily rainfall was 102.0 mm reported at Borg El Arab on the 9th.

The absolute monthly rainfall was 142.5 mm reported at Borg El Arab.

Chairman (M. F. TAHA)

Board of Directors

Cairo, January 1972

SURFACE DATA

Table A 1.—MONTHLY VALUES OF THE ATMOSPHERIC PRESSURE, AIR TEMPERATURE, RELATIVE HUMIDITY, BRIGHT SUNSHINE DURATION & PICHE EVAPORATION NOVEMBER — 1966

	Atmo Pressu	spheric re (mbs)				Air '	Temperati	re °C				Rela	tive	Brig	ht Sunshir	70	nms.
STATION		.s.L	Max	imum	Mini	mum		Dry	Bulb	Wet	Bulb	Humid	lity %	Dura	tion (Hou	rs)	tion
	Mean	D.F. Normal or Average	(A) Mean	D.F. Normal or Average	(B) Mean	D F. Normal or Average	<u>A+B</u> 2	Mean	D.F Normal	Mean	D.F Normal or Average	Mean	D.F Normal or Average	Total Actual	Total Possible	%	Piche Evaporation mms.
allum	1016.8 1016.9 1016.1 1015.7 1015.7	-1.0 0.9 0.9 0.8 1.4 1.4	25.0 24.8 26.1 24.9 27.7 27.0	+0.4 +1.3 +1.6 +0.9 +2.5 +3.0	17.6 15.0 16.4 21.0 16.2 17.2	+2.7 +1.6 +1.7 +2.5 +1.9 +2.7	21.3 19.9 21.2 23.0 22.0 22.1	21.0 19.8 20.9 22.7 21.5 21.9	+1.2 +1.6 +1.6 +1.8 +2.0 +2.6	16.8 17.0 18.1 20.1 18.3 17.1	+1.5 +2.3 +2.0 +2.5 +2.0 +1.0	64 74 75 78 73 59	+ 4 + 7 + 5 + 7 + 2 -11	240.2 244.3 249.0	318.0 318 0 317.2	76 77 	7 3 5 6 4.3 5.4 4.3 5.0
anta	1014.6	-2.4	27.7	+1.9	16.2	+3.2	22.0	20.7	+2.3	17.9	+2.7	75	+ 5	243.6	318.8	76	3.3
airo (A)	1015.3	-1.8	27.7	+2.5	16.7	+2.9	22.2	21.7	+2.4	17.2	+2.2	62	+ 1	_	_	_	9.8
ayoum (A) inya (A) myout (A) uxor (A) fwan (A)	1015.0 1014.6 1014.1 1013.4 1012.6	-2.4 -2.0 -2.5 -1.2 -1.8	30.0 29.6 30.0 32.6 32.8	+3.5 +2.8 +3.4 +2.9 +2.3	16.7 12.9 15.8 15.8 17.8	+2.5 +1.4 +3.0 +3.6 +3.2	22.8 21.2 22.9 24.2 25.3	21.9 20.4 22.2 23.8 25.1	+2.4 +2.0 +2.8 +4.1 +2.7	17.2 15.2 15.4 16.6 16.2	+2.1 +0.7 +1.8 +1.8 +2.7	60 54 44 44 35	+ 1 6 4 3 + 3	270.2' - -	323.8 — — —	83 — — —	4.4 6.4 10.5 7.5 11.9
wa	1016.5 1015.2 1016.7 1015.0 1013.6	-1.5 -2.5 -1.8 -0.4 -2.5	27.8 29.8 28.9 30.5 31.8	+1.5 +3.6 +2.7 +2.8 +3.1	12.6 14.5 12.6 12.5 16.8	+2.5 +3.2 +1.9 +1.0 +3.9	20.2 22.2 20.8 21.5 24.3	19.6 21.5 20.4 21.1 24.5	+1.6 +3.3 +2.1 +2.0 +3.9	14.3 15.0 14.0 13.4 15.1	+1.7 +1.5 +2.1 +1.4 +1.7	52 46 45 36 35	+ 2 5 + 2 2 7	 306.4			7.6 6.5 9.7 11.5
or	1014.4 1013.7 1014.4	-0.6 -1.1 -0.2	28.5 28.7 28.4	+1.9 +2.8 +1.1	16.5 17.6 20.5	+1.9 +2.1 +1.0	22,5 23 2 24.4	22.7 23.1 24.6	+1.8 +2.2 +1.5	17.6 18.0 19.3	+1.8 +2.3 +2.0	57 59 58	+ 1 + 5 + 5	 - -	_ 	 - -	8.0 10.4 10.9

TABLE A 2.-- MAXIMUM AND MINIMUM AIR TEMPERATURES

NOVEMPER — 1966

44.4								<u> </u>	aximum I	(empet	ture *() 			Grass Ten				Minimu	m Tempe	rature '	c		
	8T	'AT	101	T		Highest	Date	Lowest	Date	No.	of Da	ys with	Max-I	emp.	Mean	From Normal	Highest	Date	Lowest		N)ays wi Temp.	ith
ye.	÷				•	Hig	Ā	ន្ទ	Ā	>25	>30	>35	>40	>45	Z	D. From	Hig	Ď	Ŋ	Date	<10	< 5	< 0	<- (
Saltum Mersa M Alexandi Port Sair El Arish Ghassa	atro rie d .	.	• • • • • •		(A) (A) (A)	30.4 29.5 31.1 28.7 35.4 35.4	1 5 1 2	21.4 21.2 22.3 21.2 24.8 24.0	10 30	12 10 19 11 28 21	1 0 3 0 6 5	0 0 0 0 1 1	0 0 0 0	0 0 0 0	16.9 — 19.4 14.4 15.6		22.2 19.6 21.8 25.2 20.4 23.2	3 3 3,4 2 2	12.1 11.5 12.0 16.8 11.8 14.2	30 20 28 28 26 25	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0
lanto.		•	•		 (A)	33.0		21.5	10	26	6	0	0	0	-	-	21.7	2 5	11.2	27 26	0	0	0	•
Fayoum Minya Amyout Luxor	•	•			(A) (A) (A) (A)	36.8 37.6 37.6 37.0	2 2 2 2 2	25.1 25.5 25.3 27.0 26.0	16 11	30 30 30 30 30	16 12 15 23 24	1 2 3 8 8	0 0 0 0	0 0 0 0	13.6 11.5 14.0 10.7		20.0 18.4 21.7 22.0 23.2	2 2 2 1 1	10.9 8.4 12.5 12.8 13.3	27 18 17 11	0 6 0 0	0 0 0	0 0 0	0 0 0
liwa Sahariya Faraira Dakhla Kharga		•		•		33.3 37.0 36.6 37.4	3 2	21.4 23.8 22.2 24.2 26.9	10 11 10	24 28 25 29 30	7 5 10 18 20	0 1 2 3 9	0 0 0 0	0 0 0 0	10,8 12.5 11.7 — 14.2		17.7 21.4 19.9 18.4 23.2	4 3 3 2 23	7.2 9.4 5.6 6.5 12.0	19 17 18 18 18	6 3 5 3 0	0 0 0 0	0 0 0	0 0 0 0
lor . Eurghad		•	<i>.</i>	:	• :	33.0 32.4 30.3	. 2	25.2 26.2 26.4	11,12	30 30 30	7 8 1	0 0 0	0 0	0 0 0	15.8 19.5	=	21.7 21.2 22.6	1 1 1	13.4 14.8 17.2	26 11 25	0 0	0	0 0	0 0

TABLE A 3.—SKY COVER AND RAINFALL

NOVEMBER — 1966

		Mean	Sky Cove	r (Oot)					Rai	nfall (n	nms)					
Station	00	06	12	18	Daily	Total	Dev. From	Max.		1	Number	of day	• with	Amount	of Rai	n
enegative Galacia	U.T.	U.T.	U.T.	U.T.	Mean	Amount	Normal	Amount	Date	<0.1	≥0.1	≥1.0	≥5.0	≥10	≥25	≥5
Sailum	3.2 2.9 3.3 1.8 2.4 1.1	3.4 4.0 4.3 2.9 3.0 2.7	5.2 4.7 3.9 2.6 3.1 2.6	3.7 3.4 3.3 1.8 2.9 1.4	3.8 3.7 3.7 2.3 3.0 1.9	1.7 43.8 117.5 4.5 1.3 12.5	-26.8 +20.2 +88.7 - 5.2 -15.5 -42.7	1.1 22.4 64.6 2.8 0.7 8.1	11 8 8 8 11	0 4 1 0 0	3 4 7 3 3	1 3 4 2 0 4	0 2 4 0 0	0 1 3 0 0	0 0 2 0 0	0 0 1 0 0
Tanta (A)	1.6 2.5	3.4	3.2	1.2 2.4	3.0	16.8	+12.6	10.9	11	0	3	2	2	1	0	•
Fayoum (A) Ainyout (A) Luxor (A) Aswan (A)	0.7 0.5 0.7 0.3	2.1 1.5 0.9 0.8 0.9	2.9 2.4 1.7 1.5 2.7	2.4 1.1 0.6 1.2 3.0	1.4 0.9 1.0 1.2	0.0 0.0 0.0 0.0 1.4	- 0.5 - 0.2 - Tr. - 0.1 + 1.4	0.0 0.0 0.0 0.0 1.4		0 0 0 0	0 0 0 0 0	0 0 0 0	0 0	0 0 0	0 0 0 0	0
Biwa. Bahariya	1.1 0.7 — — 0.4	1.6 2.1 1.0 0.4 0.9	3.4 2.7 2.3 1.5 0.9	1.8 1.4 0.7 0.3 0.6	2.0 1.7 — — 0.7	0.0 0.0 0.0 0.0 0.0	- 0.6 - 0.6 - 0.1 - Tr. - 0.1	0.0 0.0 0.0 0.0 0.0		0 0 0 0	0 0 0 0	0	0 0 0	0	0 0 0	0 0 0
Tor	1.2 0.6 0.3	1.4 1.4 1.6	2.7 1.4 1.6	1.4 1.1 1.0	1.7 1.0 1.1	0.0 0.0 2.4	- 1.8 - 0.2 + 0.5	0.0 0.0 2.0	 24	0 0	0 0 2	0 0 1	0	0	0	0

.

TABLE A 4-DAYS OF OCCURRENCE OF MISCELLANEOUS WEATHER PHENOMENA.

NOVEMBER-1966

			Precij	piation			torm.	>1000 metres	etres	is etres	Vis etres	rising Metres	detorm			
Station		Rain	Sno₩	Ice Pellets	Hail	Frost	Thunderstorm	Mist Vis ≥100	Fog Vis < 1000 Metres	Haze Vis ≥ 1000 Metres	Thick Haze Vis	Dust or Sandrising Vis ≥1000 Metres	Dust or Sandstorm Vis <1000 Metres	Gale	Clear Sky	Cloudy Sky
Sallum	· · · · (A) · · · (A) · · · (A)	3 4 7 3 3	0 0 0 0 0 0	0 0 0 0	0 0 2 0 0	0 0 0 0	1 3 0 0 2 1	1 6 4 3 7	0 0 5 2 2 0	0 0 0 0	0 0 0 0	0 2 0 0 2 0	0 0 0 0 1	0 1 0 1 0	5 5 9 17 14 17	3 2 5 1 2
Tante		3	0	0	0	0	0	5 15	4 3	7	0	0 2	0	0	18	1 0
Fayoum	· · · · (A)	0 0 0 0	0 0 0 0	0 0 0	0 0	0 0 0	0 0 0 0	1 4 0 0	0 1 0 0	0 0 0 1 0	0 0 0 0	0 0 0 2 4	0 0 0 1	0 0 0 0	25 25 26 26 25	0 0 0
Siwa		0 0 0 0	0 0 0 0	0 0 0 0	0 0	0 0 0 0	0 0 0 0	1 0 2 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	.0 0 0 0	0 0 0 0	19 20 — 29 28	0 0
Tor Hurghada Quseir		0 0 2	0 0 0	0 0 0	0	0 · 0 0	0 0 2	3 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	20 27 24	0 0

- 7 -

Table A 5.—NUMBER IN HOURS OF OCCURRENCES OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

NOVEMBER — 1966

	•	urs)	ours)		1	Vumb	er in					of wi		-	fro	n th	•
Station	calm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014	015 / 044	045 / 074	075 / 104	- /	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	All directions
Sallum ,	2 2	13	` 44	1-10 11-27 28-47 ≥48 All speeds	26 4 0 0 30	152 33 0 0 185	8 0 0 8	25 0 0 0 25	21 0 0 0 21	13 5 0 0 18	14 7 0 0 21	20 27 0 0	16 15 0 0 31	29 24 0 0 53	45 56 0 0	56 45 0 0	425 216 0 0 641
Meras Matruh . (A)	3	0	0	1-10 11-27 28-44 ≥48 All speeds	17 48 0 0 65	24 42 1 0 67	35 35 0 0 70	89 48 0 0 137	27 5 0 0 32	27 2 0 0 29	39 8 0 0 47	29 26 0 0 55	32 25 0 0 57	27 44 0 0 71	14 16 0 0 30	14 43 0 0 57	374 342 1 0 717
Alexandria (A)	28	0	0	1-10 11-27 28-47 ≥48 All speeds	61 11 0 0 72	168 37 0 0 205	115 21 0 0 136	29 0 0 0 29	11 0 0 0 11	15 0 0 0 15	21 3 0 0 24	36 5 0 0 41	11 11 0 0 22	32 1 0 0 33	28 3 0 0 31	73 0 0 0 73	600 92 0 0 692
Port Said (A)	6	3	0	1-10 11-27 28-47 ≥48 All speeds	66 42 0 0 108	128 0 0	32 56 0 0 88	6 1 0 0 7	7 0 0 0 7	11 1 0 0 12	22 13 0 0 8	34 23 0 0 57	54 2 0 0 56	35 1 2 0 38	9 5 0 0 14	73 22 1 0 96	414 294 3 0 711
Tanta	61	0	0	1-10 11-27 28-47 ≥48 All speeds	44 0 0 0 44	0 0	4 0 0	124 1 0 0 125	57 1 0 0 58	11 0 0 0 11	1 0 0 0	2 0 0 0 2	32 0 0 0 33	56 0 0 0 56	51 1 0 0 53	56 0 0 0 56	652 7 0 0 659
Tayoum	35	1	0	1-10 11-27 28-47 ≥48 All speeds	180 1 0 0 181	32 0	0 0	7 0 0 0 0 7	6 0 0 6	8 0 0 0 8	6 0 0	24 0 0 0 0 24	60 3 0 0 63	25 5 0 0	18 0 0 0	52 0 0 0 53	641 43 0 0
Minya (A)	44	88	14	1-10 11-27 28-47 ≥48 All speeds	171 54 0 0 225	0	0 0	1 0 0 0	0 0 0	13 0 0 0 13	22 1 0 0 23	4 0 0 0 4	15 0 0 0 15	17 2 0 0	21 9 0 0	218 17 0 0 285	85 0 0 574
Assyout (A)	1	0	85	1-10 11-27 28-47 ≥48 Ali speeds	2 0 0 0	0	5 00 0	14 0 0 0 0	9 0 0	14 0 0 0 14	0 0 4	8 0 0	57 0 0 0 57	266 2 0 0 368	141 14 0 0 255	88 14 0 0 97	604 80 0 0

Table A 5 (contd.)—NUMBER IN HOURS OF OCCURRENCE OF CONCURRENT SURFACE WIND SPEED AND DIRECTION RECORDED WITHIN SPECIFIED RANGES

NOVEMBER — 1966

	•	urs)	iours)			Numl	er in	hour		occuri of d					ng fro	m th	•
Station	cslm (hours)	Variable (hours)	Unrecorded (hours)	Wind speed in knots	345 / 014		045 / 074		105 / 134	135 / 164	165 / 194	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	All directions
Lexor (A)	9	3	2 3	1-10 11-27 28-47 ≥48 All speeds	122 0 0 0 123	134 1 0 0 135	73 24 0 0 97	30 8 0 0 38	27 0 0 0 0	32 2 0 0 34	65 0 0 0 65	35 0 0 0 35	18 0 0 0 18	27 0 0 0 27	24 1 0 0 25	62 0 0 0 63	649 36 0 0
Aswan (A)	2	0	1	1-10 11-27 28-47 ≥48 All speeds	183 18 0 0 201	219 33 0 0 252	59 33 0 0 92	25 22 0 0 47	25 11 0 0 36	9 0 0 0	13 0 0 0 13	1 0 0 0	3 0 0 0 3	1 0 0 0	11 0 0 0 11	49 2 0 0 51	598 119 0 0 717
Biwa	26	91	3	1-10 11-27 28-47 ≥48 All speeds	14 1 0 0 15	37 0 0 0 37	76 0 0 0 76	62 4 0 0 66	65 0 0 0 65	33 1 0 0 34	31 0 0 0 31	16 0 0 0 16	42 0 0 0 42	81 0 0 0 81	83 11 0 0 94	30 13 0 0 43	570 30 0 0
Dakhla	7	5	0	1-10 11-27 28-47 ≥48 All speeds	34 2 0 0 36	26 0 0 0 26	18 0 0 0 18	12 0 0 0 12	12 0 0 0 12	5 0 0 0 5	28 0 0 0 28	50 0 0 0 50	86 0 0 0 86	108 0 0 0 108	194 0 0 0 194	128 5 0 0 133	701 7 0 0 708
Kharga	26	9	34	1-10 11-27 28-47 ≥48 All speeds	185 69 0 0 2 54	158 29 0 0 187	14 0 0 0 14	17 0 0 0 17	10 0 0 0	5 0 0 0 5	4 1 0 0 5	3 0 0 0 3	7 0 0 0 7	14 0 0 0 14	30 1 0 0 31	101 3 0 0 104	548 103 0 0 651
Quesir	4	14	8	1-10 11-27 28-47 ≥48 All speeds	92 58 0 0 150	7 0 0	21 3 0 0 24	18 5 0 0 23	3 3 0 0 6	5 1 0 0	4 1 0 0 5	8 0 0 0 8	9 0 0 0 9	149 0 0 0 149	180 5 0 0 18 5	44 31 0 0 75	580 114 0 0 694
Hurghada	3 8	0	5	1-10 11-27 28-47 ≥48 All speeds	28 50 0 0 78	15 0 0	27 7 0 0 34	18 0 0 0 18	11 0 0 0 11	12 0 0 0	19 0 0 0	5 0 0 5	0	26	122 151 0 0 273	34 93 0 0 127	335 342 0 0 677

UPPER AIR CLIMATOLOGICAL DATA

Table B 1. - MONTHLY MEANS, ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

Station	Pressure Surface	Altit	ude of Pres	sure Surface	(gpm)		Тетре	rature (°C)		Dow 1	Point (°C)
38	Millibar	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
<u>'</u>	Surface	30	999 mb	1002mb	993mb	30	19.9	25.1	15.4	30	12.4
- / /	1000	30	127	158	78	15	20.2	25.1	16.6	15	10.7
11	850	30	1520	1560	1456	30	14.5	20.8	8.0	30	1.2
11	700	30	3131	3197	3035	30	4.1	9.8	— 2.4	20	— 7.6
11	600	30	4369	4459	4245	30	— 3 .3	3.1	-11.0	9	-14.6
الن	500	30	5786	5913	5645	30	-12.6	- 5.4	-18.4	8	21.7
T.D	400	30	7444	7622	7274	30	-25.3	18.3	29 .0	11	31.6
	800	30	9475	9707	9268	30	-40.9	33.2	-45.8		_
90	200	30	12123	12439	11915	30	-57.8	-50.8	61 6	l	ļ
₹ (150	27	13920	14268	13748	27	-62.0	55.3	66 0	 -	_
Holwan	100	26	16399	16802	16300	26	66.9	59.2	—71.4	_	l –
2	70	22	18530	18690	18440	22	-67.5	-59.0	-74.7	l	l –
Ħ l	60	20	19462	19662	19356	20	-65.8	58.7	—76.3	-	l —
1	50	18	20576	20785	20420	18	62.6	58.2	67.5	I -	_
	40	14	21965	22192	21773	14	-59.9	-54.6	-67.1	\ -	\
1	80] 11	23790	24052	24052	11	56.3	-51.4	61.9	-	-
1	20	9	26413	26694	26215	9	50.7	- 42.6	56.1	\ —	-
1	10	-	-		-	-	_	_	-	_	_

N = Number of observations of specified pressure surface.

[•] The atmospheric pressure corrected to the elevation of the radiosonde stations.

Note. Climatological upper air data for Mersa Matruh & Aswan upper air stations at 0000 & 1200 U.T. are missing since number of days of release of radiosonde sets at these stations are less than the permissible number needed for calculating or processing monthly values.

UPPER AIR CLIMATOLOGICAL DATA

Table B 1 (contd.)—MONTHLY MEANS, ABSOLUTE HIGHER AND LOWER VALUES OF ALTITUDE, AIR TEMPERATURE AND DEW POINT AT STANDARD AND SELECTED PRESSURE SURFACES

	Prossuro Surface	Alt	itune of Pre	wure Surfac	e (gpm)		Tempe	orature (°C)		Dow	Point (°C)
•	Millibar	N	Mean	Highest	Lowest	N	Mean	Highest	Lowest	N	Mean
Edves 1989 U.T.	Surface 1000 850 700 600 800 400 800 200 150 100 70 60 80 40 80	30 30 30 30 30 30 30 30 29 27 23 19 17 14 12	998 mb 122 1526 3136 4379 5800 7472 9503 12156 13962 16458 19549 20698 22117 23984 26694 31302	1002mb 158 1575 3210 4474 5922 7620 9681 12371 14210 16752 18940 19662 20840 22284 24156 26826	992mb 68 1454 3038 4257 5651 7286 9267 11927 13759 16294 18500 19421 20578 21975 23865 26606	30 7 30 29 30 30 30 30 29 27 23 19 17 14 12 7	27.2 27.7 15.2 4.8 -2.5 -11.5 -40.4 -57.5 -61.1 -65.2 -62.7 -59.0 -55.3 -52.0 -49.6 -43.5	35.0 35.0 23.4 8.8 4.0 - 5.0 -19.7 -36.8 -49.7 -55.8 -58.0 -60.4 -58.0 -56.1 -52.5 -48.5 -48.3	22.7 24.2 8.7 0.1 - 7.6 -16.1 - 29.9 -46.2 -62.4 -65.6 -70.3 -70.3 -68.3 -62.5 -59.0 -55.0 -51.3	30 77 29 17 9 7 9 3 	10.7 9.6 0.5 9.3 16.5 23.1 31.3 42.4

M - Number of observations of specified pressure surface.

^{*} The atmospheric pressure corrected to the elevation of the radiosonde stations.

- 12 -

TABLE B 2.—MEAN AND EXTREME VALUES OF THE FREEZING LEVEL AND THE TROPOPAUSE; THE HIGHEST WIND SPEED IN THE UPPER AIR

NOVEMBER — 1966

•					Fr	eezing k	vel							Fire	Tropo	pagse				Hig	hest	wind	speed
	,		Moan			Highes	t		Lowes	t		Moan			Highes	t		Lowes	t	a a	هَ		*
	Station	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point (°C)	Altitude (gpm)	Pressure (mb.)	Dew point	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Temperature (°C)	Altitude (gpm)	Pressure (mb.)	Direction (000—360)*	Speed in Knots
		(N)	(N)	(N)	,						(N)	(N)	(N)										
_/	M. Matruh (A)	-	-	_	_		_	-	_	-	_	_	-	_	-		-	-	-	_	_		
98 12	Holwan	3 850 (30)	641 (30)	- 6.7 (12)	50 00	560	_	2750	726	- 2.5	1 3492 (28)	166 (28)	-62.5 (28)	18320	74	-64.7	11220	222	-53.4	9310	3 05	270	126
• (Aswan(A)			-	-	_	-	-	-	_	-	-				-		-		_	-	-	-
		(N)	(N)	(N)							(N)	(N)	(N)				-						
) نے	M. Matruh (A)	-	-	-	-	-	-		-		-	-	-	-			-	-	_		_	-	
1800 U.T.		3936 (30)	637 (30)	-10.4 (12)	4960	564	-	3100	698	-5.3	13078 (26)	154 (26)	-63.4 (26)	17570	83	-69.8	10070	271	-4 8.2	11700	199	250	138
1	Aswan(A)	_	-	-	-	-	- [-	-		-	-	-	-		_	-	-	-		-	-	-

I - The ampher of eases the element has been observed during the month.

Table B 8.—NUMBER OF OCCURRENCES OF WIND DIRECTION WITHIN SPECIFIED RANGES AND THE MEAN SCALAR WIND SPEED AT THE STANDARD AND SELECTED PRESSURE SURFACES HELWAN — NOVEMBER 1966

		1		· · · · · · · · · · · · · · · · · · ·	W	ind between	en ranges o	of direction	a (000—36	0).•				Calm	T N)
Tien	Pressure Surface (Millibar)	345 / 014	015	045	075	105	135 / 164	165	195 / 224	225 / 254	255 / 284	285 / 314	315 / 344	od de	Numb ations (Scalar (Knot
		N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff)	N (ff) m	N (ff)	Number win	Total Observa Mean S Speed
0000 U.T.	Surface 1000 850 700 600 500 400 300 200 150 100 70 60 50 40 30 20 10	3	7 12 2 14 2 10 1 3 0 — 2 25 2 27 1 23 0 —	4 13 12 12 0 — 0 — 0 — 0 — 0 — 1 19 0 — — —	2 6 1 8 5 10 2 12 2 14 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 — 0 —	2 6 0 -7 1 7 3 6 0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0	0	0	1	0	0	0	1	5 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30 8 15 10 30 14 30 15 30 21 30 29 29 40 27 52 21 47 7 37 4 24 4 16 3 6 3 10 1 10 1 6
1200 U.T.	Surface 1000 850 700 600 500 400 300 200 150 100 70 60 50 40 30 20	5 12 2 12 4 10 1 12 1 5 1 40 0 — 2 32 2 30 0 — 0 — — — — — — — — —	5 16 2 20 7 1 12 1 27 1 17 0 0 1 16 0 0	2 20 0 10 2 20 1 10 1 16 1 16 0	1 8 0 7 1 14 1 14 1 16 0 — 0 — 0 — 0 — 0 — 0 — 1 42 0 — — — — — — — — — — — — — — — — — —	0 - 0 - 1 20 0 - 0 - 0 0 0 - 0 0 0 - 0 0 0 - 0 0	1 10 0 - 1 1 3 3 11 2 10 0 - 0 0 - 0 0 - 0 0 - 0 0 - 0 1 3 0 - 1 1 18 0	0 - 0 - 3 9 3 10 2 4 2 8 1 6 0 - 0 -	0	5 10 0 5 13 6 17 8 18 10 26 6 42 4 45 1 194 1 20 0 0 0 0	4 6 6 7 16 2 30 13 42 15 57 14 42 9 34 4 20	3 10 0 2 8 4 18 4 23 7 29 5 24 6 46 5 61 1 31 3 0 0 0 -	4 6 1 10 1 9 2 15 3 18 2 22 1 45 3 50 1 56 3 45 1 18 0 — 0 — 0 — 0 —	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30 11 7 12 30 9 30 15 30 16 30 22 30 30 28 39 26 58 23 47 13 30 7 15 5 9 4 18 2 28 1 18 1 20 —

N = The number of cases the element has been observed during th o month.

The The total number of cases the wind has been observed for all directions during the month.

REVIEW OF AGRO-METEOROLOGICAL STATIONS

EL KASR - NOVEMBER 1966

This month was warmer and more rainy than normal. The mean daily air temperature at 2 metres height above ground was 1.8°C above normal. Total rainfall was 11.8 mm above normal. The month was characterised by two warm spells on 1st and 28th. The first spell was the most pronounced and was associated with the absolute maximum air temperature of the month, while the second was associated with the lowest relative humidity. Thundery showers occurred on 9th and 10th of the month.

The extreme maximum soil temperatures at depths between 0.3 and 100 cm were higher than the corresponding values of November 1965; the differences varied between 8.2°C at 0.3 cm depth and 2.2°C at 100 cm depth. The extreme minimum soil temperatures were also higher than the corresponding values of last November; the differences varied between 6.8°C at 1 cm depth and 2.2°C at 20 cm depth.

The mean daily wind speed at 2 metres height above ground was 0.2 m/sec. lower than the corresponding value of November 1965. Mean daily Piche evaporation was 2.5 mm lower while mean daily pan evaporation was 0.93 mm higher than the corresponding values of last November. Total actual duration of bright sunshine was 18.1 hours lower than the corresponding value of November 1965.

TAHRIR — NOVEMBER 1966

This month was appreciably warmer and more humid than November 1965. The mean daily air temperature and relative humidity at 2 metres height above ground were 3.2°C and 6% higher than the corresponding values of last November. Total rainfall was 10.6 mm lower than the corresponding value of November 1965. The month was characterised by an intense heat wave in the first week with peak on 5th which was associated with the absolute maximum air temperature of the month.

The extreme maximum soil temperatures at depths between 0.3 and 100 cm were higher than the corresponding values of November 1965, the differences varied between 7.4°C at 0.3 cm depth and 2.2°C at 100 cm depth. The extreme minimum soil temperatures were also higher than the corresponding values of last November; the differences varied between 3.5°C at 50 cm depth and 2.0°C at 2 cm depth.

The mean daily wind speed at 2 metres height above ground was the same as the corresponding value of November 1965. The mean daily Piche evaporation was 0.3 mm lower while the mean daily pan evaporation was 0.71 mm higher than the corresponding values of last November. The total actual duration of bright sunshine was 5.9 hours lower than the corresponding value of November 1965.

GIZA - NOVEMBER 1966

This month was warmer, slightly more humid and more rainy than normal. Mean daily air temperature and relative humidity at 2 metres height above ground were 2.3 °C and 3% respectively above normal. Total rainfall was 8.3 mm above normal. The month was characterised by two prolonged heat waves. The first heat wave occurred in the period 1st-8th with peak on 5th which was associated with the absolute maximum air temperature and the lowest relative humidity for the month.

The extreme maximum soil temperatures in the dry field at depths between 0.3 and 100 cm were higher than the corresponding values of November 1965; the differences varied between 8.1°C at 1 cm depth and 0.6°C at 100 cm depth. The extreme minimum soil temperatures were also higher than the corresponding values of last November, the differences varied between 3.7°C at 0.3 cm depth and 1.1°C at 20 cm depth.

The mean daily wind speed at 2 metres height above ground was 0.2 m/sec. higher than the corresponding value of November 1965. The mean daily Piche evaporation, pan evaporation and potential evapotranspiration were higher than the corresponding values of last November by 0.6, 0.87 and 0.1 mm respectively. Total actual duration of bright sunshine was 22.5 hours lower than the corresponding value of November 1965.

KHARGA - NOVEMBER 1966

The month was appreciably warmer than normal. The mean daily air temperature at 2 metres height above ground was 4.3°C above normal. Total rainfall was zero, i.e. 0.1 mm below normal. The month was characterised by two prolonged heat waves in the periods 1st-8th and 18th-30th. The first one was the most excessive and was associated with the absolute maximum air temperature of the month on the 1st. The peak of the second heat wave occurred on 21st and was associated with the lowest values of relative humidity and vapour pressure for the month.

The extreme maximum soil temperatures at depths between 0.3 and 100 cm were higher than the corresponding values of November 1965; the differences varied between 9.7°C at 1cm depth and 0.7°C at 100 cm depth. The extreme minimum soil temperatures were also higher than the corresponding values of last November; the differences varied between 5.6°C at 1 cm depth and 2.6°C at 100 cm depth.

The mean daily wind speed at 2 metres height above ground was 0.6 m/sec. lower than the corresponding value of November 1965. Mean daily values of Piche evaporation and pan evaporation were 4.9 mm and 1.80 mm higher than the corresponding values of last November. Total actual duration of bright sunshine was only one hour higher than the corresponding value of November 1965.

Table C 1.—AIR TEMPERATURE AT 2 METRES ABOVE GROUND
NOVEMBER — 1966

		Air Te	mperati	are (°C)				Mean	Durationab	n in ho	urs of follow	daily ai	ir temp	oraturo		
STATION	Mean Max.	Mean Min.	Mean of the day	Night time mean	Day time mean	_5°C	0°C	5°C	10°C	15°C	20°C	25°C	80°C	35° C	40°C	45.0
		l		1												<u> </u>
El Kasr	24.9	15.3	20.3	18.6	22.6	24.0	24.0	24.0	24.0	22.0	13,9	2.0	0.0	0.0	0.0	0.0
Tahrir	27.6	15.5	20.4	18.6	23.2	24.0	24.9	24.0	24 .0	21.0	11,3	4.2	0.7	0.0	0.0	0.0
Giza ·	27.5	15.5	21.0	19.5	23.1	24.0	24.0	24.0	24.0	21.8	14.0	4.4	0.8	0.0	0.0	0.0
Kharga	31.8	16.8	24.5	22.2	27.3	24.0	24.0	24.0	24.0	23.5	18.3	10.6	4.0	0.0	0.0	0.0

Table C 2.—ABSOLUTE VALUES OF AIR TEMPERATURE AT 2 METRES ABOVE GROUND, ABSOLUTE MINIMUM AIR TEMPERATURE AT 5cms ABOVE GROUND OVER DIFFERENT FIELDS.

NOVEMBER - 1966

	Max.	Temp. at	2 metres	(*C)	Min.	Temp. at	2 metres	(°C)	Min. Temp. at 5 ems. ahove (°C)						
STATION .	Highest		Lowest		Hig	hest	Lov	vest	Dry	soil	Grass				
	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date	Value	Date			
El Kasr	29.2	1	21.9	30	20.4	22	12.2	16	10.1	19	_	-			
Tahrir	83.1	5	21.8	10	20.0	2	10.6	27	-	,	_	_			
Giza , , , , ,	34.9	5	23.5	30	20.4	21	10.4	28	7.2	17	5.2	17			
Kharga	37.4	1	26.9	16	23.2	23	12.0	12	9.1	11	_				

Table C 3. - (SOLAR+SKY) RADIATION, DURATION OF BRIGHT SUNSHINE, RELATIVE HUMIDITY, VAPOUR PRESSURE AT 2 METRES ABOVE GROUND, EVAPORATION & RAINFALL

×	Radis- l/cm ³	Duration of Sunshine (h	Relative Humidity					Var	our p	resure	(mms)	-		oration ms)	Rainfall (mms)			
BTATION	(Solar+Sky) Radia- tion gm. cal/cm ³	Total Actual monthly Total Possible monthly	%	Duration in hours		1200 U.T.	Lowest	Mean of day	1200 U.T.	Highest	Date	Lowest	Date	Piobe	Pan class A	Total Amon- nt Monthly	Max. Fall In one day	Dete
El Kasr	246.5	238.1 317.8	75		80	64	32 28	14.4	14.5	19.4	7	6.1	30	7.1	5.47	2 8.7	25.2	8
Cahrir	318.8	238.0 317.7	76	10.0 14.0	81	5 6	37 29	14.5	14.3	20.7	2	9.5	29	5.7	4.17		5.8	8
dise .	312.2		73	6.0 11.0	73	48	25 5	13.3	12.5	18.6	1	8.3	10	7.4	4.89	10.5	10.1	8
Kharga	33 9.0	306.4 328.3	93	0 0	38	25	12 21	8.2	8.3	14.0	1	4.9	21	22.7	11.02	0.0	0.0	-

TABLE C 4. EXTREME SOIL TEMPERATURE AT DIFFERENT DEPTHS (cms)
IN DIFFERENT FIELDS

NOVEMBER - 1966

STATION	at (H)		Extreme soil tempetature (°C) in dry field at different depths (cms.)										Extreme soil temperature (°C) in grass field at different depths (oms.)									
	Highest Lowest	0.3	1	2	5	10	20	50	100	200	300	0.3	0.3 1		5	10	20	50	100	200	300	
El Kaar		37 .2										=	=	_	-	=	-	=	-	-	-	
Tahrir		43.4 11.6											_	_	_	=	_	=	-	=	=	
Giza	H L	46.7 10.0	44.2 11.6	40.6 11.7	35.1 16.0	31 .3 19.1	28.8 21.8	28.6 24.3	29.0 26.4	28.4 27.4	27.4 27.2	31.0 11.8	29.4 13.0	27.4 13.6	25.6 15.6	24 .9 17.1	24.1 18.7	24.4 21.3	24 .4 22 .6	24.6 24.0	 -	
Kharga	H L	_		42.5 14.1									_	_	_	_	-	_	_	=	 -	

TABLE C 5.-SURFACE WIND

	1/800 35		Max. Guet (knot at 10 metres									
STATION .	Mean of the day	Night time mean	Day time mean	≥ 10 knots	≥ 15 knots	≥ 20 knots	≥ 25 knots	≥ 30 knots	≥ 35 knots	≥ 40 knots	Value (knots)	Date
							ì					
El Keer	8.4	2.9	4.0	_		-		-		_	_	-
Tahrir	3.0	1.8	2.3	20	10	2	0	0	0	0	3 2	10 th
Gisa	3.3	1.8	2.8	22	6	0	0	0	0	0	. 25	10 th
Kharga	3.3	2.5	4.3	29	15	1	. 0	0	0	0	26	14 th

PRINTED IN ARAB REPUBLIC OF EGYPT BY THE GENERAL ORGANIZATION FOR GOVT. PRINTING OFFICES. CAIRO

First Under-Secretary of State

ALY SULTAN ALY

Chairman of the Board of Directors